

Site:	Martha
ID #:	MO0980633069
Break:	1.3
Other:	AR
	6-11-87

JUN 11 1987

FOIA Exemption 6

Mr. Charles Buxton

RE: Martha C. Rose Chemical  
Company, Holden, Mo

40027013  
SUPERFUND RECORDS

Dear Mr. Buxton:

This letter is in reference to the sampling and subsequent removal and transfer of PCB contaminated items by the United States Environmental Protection Agency from your property to the Martha C. Rose Chemical Company site located at 500 West McKissock, Holden, Missouri.

The following is a summary list of the items sampled for PCBs and the resulting chemical analysis:

Sample Date	Sample Number	Item Sampled	Sample Size	Analysis
July 28, 1986	07108628500201	3 pcs of steel	830 cm <sup>2</sup> wipe	1096 ug/100 cm <sup>2</sup>
Oct. 6, 1986	K158D001	Inside of 50 gallon vat	100 cm <sup>2</sup> wipe	1195 ug/100 cm <sup>2</sup>
Oct. 6, 1986	K158D001	Outside legs of vat	100 cm <sup>2</sup> wipe	75 ug/100 cm <sup>2</sup>
Oct. 6, 1986	K158D003	Houseboat	100 cm <sup>2</sup> wipe	83 ug/100 cm <sup>2</sup>
Oct. 6, 1986	K158D004	Houseboat supports	100 cm <sup>2</sup> wipe	Not Detected

cm<sup>2</sup> = square centimeter  
ug = micro grams

Field sheet and analysis sheets are attached for the sample and labeled as follows:

Item	Description
1 sheet	PCB Transmittal dated September 4, 1986 titled "Results of PCB Analysis of Samples from Charles Buxton, Johnson Co., MO".

WSTM:SPFD:SCOM:KINSER:ch:x671:6/5/87:Disk #3

SCOM  
KINSER

SCOM  
SMITH

CNSL  
STEINCAMP

SPFD  
MORBY

SEK  
6-11-87

PAPE  
6-10-87

MRS  
6/10/87

6/11/87

S-4  
M-PKS

<u>Item</u>	<u>Description</u>
1 sheet	Field Sheet covering Lab No. K158D001 dated 10/6/86.
1 sheet	Field Sheet covering Lab No. K158D002 dated 10/6/86.
1 sheet	Field Sheet covering Lab No. K158D003 dated 10/6/86.
1 sheet	Field Sheet covering Lab No. K158D004 dated 10/6/86.
1 sheet	EPA Region VII Data Qualification Codes.
1 sheet	"Analysis Type: Wine Samples - PCBs Only" for sample numbers K158D001, -002, -003, and -004.

Also attached is one sheet entitled "Buxton Property Inventory" detailing the items that were removed from your property and transferred to the Martha C. Rose Chemical Company site on October 8, 1986 and October 10, 1986 as indicated on the inventory.

To prevent further spreading of PCBs from the contaminated houseboat on your property, it too has been removed to the Holden facility. The removal of known PCB contaminated material from your property is considered complete.

If you have any questions, please contact me at 913/236-2856.

Very truly yours,

Steven Kinser  
Remedial Project Manager  
Compliance Section  
Superfund Branch  
Waste Management Division

Enclosure

bcc: Scott Pemberton, CNSL (w/enclosure) ✓